


HDMI Extender

MODEL: HDBTEX70

Operating Instructions



Dear Customer

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or adjusting this product. Please keep this manual for future reference.

FEATURES

- Incorporates HD Base-T technology
- Full HD support: 1080p@60Hz@48 b/pixels, 4Kx2K and support 3D
- Extends 1080p Full HD and 3D TV up to 228 feet (70 meters) using one CAT5e (or better) cable
- Allows IR remote control of source devices
- Supports high bit-rate audio formats (Dolby True-HD / DTS Master Audio)
- DC 5V power supply
- CEC Pass-Through
- With mounting ears

NOTICE

Our company reserve the right to make changes in the hardware, packaging and any accompanying documentation without prior written notice.

TABLE OF CONTENTS

Specifications
 Package Contents
 Panel Descriptions
 Connecting and Operating
 Typical Application
 Maintenance
 Product Service
 Warranty

SPECIFICATIONS

| | |
|-----------------------------|---|
| Operating Temperature Range | -5 to +35°C(+23 to +95°F) |
| Operating Humidity Range | 5 to 90%RH (No Condensation) |
| Input Video Signal | 0.5-1.0 Volts P-P |
| Input DDC Signal | 5 volts p-p(TTL) |
| Support Video Format | DTV/HDTV:480i/576i/480P/576P/720P/1080i/1080P/4Kx2K 3D video |
| Video Output | HDMI +HDCP |
| Support Audio Format | DTS-HD Master Audio、Dolby true-HD etc. |
| Transmission Distance | 1080P 228FT/70m(Maximum) over single CAT5E/6 Solid |
| Power consumption | 5watts(Maximum) |
| Dimension (L×W×H) | 87x70x24mm |
| Net Weight | 260g(Pair) |


Note1: Specifications are subject to change without notice. Mass and dimensions are approximate.

PACKING CONTENTS

- 1) Main Unit, Transmitter & Receiver HDMI Extender
- 2) Power adapter DC 5V x2PCS
- 3) IR-TX cable
- 4) Operating Instructions


PANEL DESCRIPTIONS

Transmitter Panel



- ① IR-TX port
- ② HDMI input
- ③ Cat5e/6 output port
- ④ Status of HDCP
- ⑤ Status of signal connection
- ⑥ Status of Mode
- ⑦ Indicator of power input
- ⑧ Power input port

Receiver Panel



- ① IR-RX
- ② HDMI output port
- ③ Cat5e/6 input port
- ④ Status of HDCP
- ⑤ Status of signal connection
- ⑥ Status of Mode
- ⑦ Indicator of power input
- ⑧ Power input port

POWER: indicates that power is available to the unit.

MODE : when blinking indicates the device is active (fw running).

LINK : when ON indicates that an HD Base-T™ link connection has been established between the two boards over the CAT5e cable.


HDCP : when ON, indicates that video content with HDCP protection is being transferred. When BLINKING, indicates video content without HDCP. When OFF, indicates that no video is being transferred.

CONNECTING AND OPERATING

- 1) Connect the HDMI signal sources (Such as DVD, STB etc) to HDMI Transmitter.
- 2) Connect CAT5e or 6 cables to both the Cat5e/6 of the transmitter and Cat5e/6 port of the Receiver.
- (The cables must follow the standard of EIA-TIA 568B).
- 3) Connect the HDMI output (Such as HD-LCD, HD-DLP) into the Receiver.
- 4) Connect the power supply into Power port.
- 5) Connect IR-TX cable into IR-TX port .

Attention: Insert/Extract cables gently.

TYPICAL APPLICATION



MAINTENANCE

Clean this unit with a soft, dry cloth. Never use alcohol, paint thinner or benzine to clean this unit.

PRODUCT SERVICE

1) **Damage requiring service:**

The unit should be serviced by qualified service personnel if:

- (a) The DC power supply cord or AC adaptor has been damaged;
- (b) Objects or liquids have gotten into the unit;
- (c) The unit has been exposed to rain;
- (d) The unit does not operate normally or exhibits a marked change in performance;
- (e) The unit has been dropped or the cabinet damaged.

2) **Servicing Personnel:** Do not attempt to service the unit beyond that described in these operating instructions. Refer all other servicing to authorized servicing personnel.

3) **Replacement parts:** When parts need replacing ensure the servicer uses parts specified by the manufacturer or parts that have the same characteristics as the original parts. Unauthorized substitutes may result in fire, electric shock, or other hazards.

4) **Safety check:** After repairs or service, ask the servicer to perform safety checks to confirm that the unit is in proper working condition.

WARRANTY

If your product does not work properly because of a defect in materials or workmanship, our Company (referred to as "the warrantor") will, for the length of the period indicated as below, **(Parts(1)Year, Labor(90) Days)** which starts with the date of original purchase ("Limited Warranty period"), at its option either(a) repair your product with new or refurbished parts, or (b) replace it with a new or a refurbished product. The decision to repair or replace will be made by the warrantor.

During the "Labor" Limited Warranty period there will be no charge for labor.

During the "Parts" warranty period, there will be no charge for parts. You must mail-in your product during the warranty period. This Limited Warranty is extended only to the original purchaser and only covers product purchased as new. A purchase receipt or other proof of original purchase date is required for Limited Warranty service.

MAIL-IN SERVICE

When shipping the unit carefully pack and send it prepaid, adequately insured and preferably in the original carton. Include a letter detailing the complaint and provide a day time phone and/or email address where you can be reached.

LIMITED WARRANTY LIMITS AND EXCLUSIONS

1) This Limited Warranty ONLY COVERS failures due to defects in materials or workmanship, and DOES NOT COVER normal wear and tear or cosmetic damage.

The Limited Warranty ALSO DOES NOT COVER damages which occurred in shipment, or failures which are caused by products not supplied by warrantor, or failures which result from accidents, misuse, abuse, neglect, mishandling, misapplication, alteration, faulty installation, set-up adjustments, misadjustment of consumer controls, improper maintenance, power line surge, lightning damage, modification, or service by anyone other than a Factory Service center or other Authorized Servicer, or damage that is attributable to acts of God.

2) THERE ARE NO EXPRESS WARRANTIES EXCEPT AS LISTED UNDER "LIMITED WARRANTY COVERAGE". THE WARRANTOR IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT, OR ARISING OUT OF ANY BREACH OF THIS WARRANTY. (As examples, this excludes damages for lost time, cost of having someone remove or re-install an installed unit if applicable, travel to and from the service, loss of or damage to media or images, data or other recorded content. The items listed are not exclusive, but are for illustration only.)

3) PARTS AND SERVICE, WHICH ARE NOT COVERED BY THIS LIMITED WARRANTY, ARE YOUR RESPONSIBILITY.